



LET'S GROW TOGETHER
www.elite-greenhouses.co.uk
www.greatbritton.ru







Family
is not just an
important thing
....
It's everything

CONGRATULATIONS!

You are on the first step towards owning an Elite Greenhouse. Selecting a greenhouse can be a complicated and confusing process with so many models, manufacturers and variants to choose from. We, as the manufacturer, are here every step of the way to help you, make you feel at ease, and highlight what you can expect to receive for your money.

WHO?

We are Elite Greenhouses Limited and are proud to say we are a privately owned, third generation UK family business, celebrating its Diamond Jubilee year in 2013. In such an ever changing "throw away" culture, we continue to manufacture, right here in the UK, the widest range and one of the strongest aluminium greenhouses money can buy.

WHAT?

Despite having thousands of happy customers over the last 60 years, we have never lost sight of our founders' vision to demand excellence and complete satisfaction. We are passionate and enthusiastic about greenhouses and continue to produce a life long product, backed by a 10 year guarantee, made right here in the UK and delivered by our own fleet of vehicles to your home.



We guarantee that no aluminium part will rust, warp or be of unmerchantable quality. Excludes glazing or weather damage.

WHERE?

At Elite Greenhouses we only manufacture our products from our plant in Bolton, Lancashire and do not sell direct. We have hundreds of loyal, hard-working and well established authorised dealers displaying our products the length and breadth of the UK, so you are sure to be near to a site where one of our helpful and friendly agents can assist you with any enquiry. To find where your nearest agent is or for any further information please feel free to contact us on 01204 791488 or via email at enquiries@elite-greenhouses.co.uk.

HOW?

To become part of the Elite Greenhouse family and begin to enjoy the pleasures and benefits which our products offer, for many years to come, simply choose the model of your choice from our brochure, place an order with one of our agents, sit back and relax whilst we put the hard work into making it for you.

Every greenhouse which leaves our door is made with care, pride and attention to detail by our family so that it can be enjoyed by your family for generations to come.

60 YEAR ANNIVERSARY



WHY?

When it comes to choosing a greenhouse there is a lot of choice in today's market. Before you decide where to spend your money, we suggest you do your homework, have a good look around at everything on offer and compare the features and qualities of each manufacturer. A greenhouse should be a long lasting and enjoyable investment and you will obviously want a manufacturer who can offer the size and height you require, however, there are other factors which we feel you should consider which we know Elite can offer:

- 60 continuous years of successful British manufacturing, like our greenhouses we have stood the test of time.
- 10 Year Frame Guarantee as standard with every greenhouse we make.
- 9 Superb Colour Options to suit your garden environment. All aluminium accessories can also be powder coated.
- British Design and Manufacture with all components conforming to British Standards.
- No Automated Service call us and speak to a real person who is happy to help.
- High Tensile Bolts Elite's bolts have been scientifically tested to be 2 ½ times stronger than standard aluminium bolts, therefore, will not shear and continue to maintain the strength of your greenhouse throughout its lifetime.
- Bar Thickness all Elite glazing bars will support a fixed shelf and staging, such as the diamond range - not all manufacturers can offer this.

- Stainless Steel Clips throughout which eradicates the fear of rust, warp and rot.
- Neoprene Beading a cushion beading which has greater resistance to wind.
- Ensure there are no large gaps at the eaves section which would allow a significant ingress of water into the greenhouse.
- Glazing Options to suit budget and needs.
- Packages available on most greenhouses for even better value.
- Fantastic range of accessories available.
- Longer lengths we can make your greenhouse to any length you require.



CONTENTS

What we have to offer you...


































4'3" WIDE COMPACT

Unlimited Lengths from 4'5"

For such a small building the Compact is packed with many features found on larger models, such as Double Doors and Elite's low threshold for easier access making this such a popular choice. If your growing space is limited, then the Compact offers a surprisingly spacious environment with an eaves height of 5'1 ½", and is an ideal building for the beginner.

All of our accessories are compatible with this model and package deals are available helping you increase the growing potential without breaking your budget.



Compact 4'x4' (Nominal), Integral Base, Alloy, Full Sheet Toughened Glass

THE COMPACT'S FRAME ACCOMMODATES SUPER STRENGTH DIAMOND INTEGRAL STAGING FOR A CLUTTER FREE, ELEGANT AND PRACTICAL WORKING AREA.

STANDARD FEATURES











POWDER COATED

Green

White

Black

Olive

Graphite

Berry

Brown

Stone

Terracotta

RECOMMENDED ACCESSORIES





Unlimited Lengths from 4'5"

The Maxim is ideal if your growing space is limited. One of the key differences compared to the Compact is the additional 7" of roof height, which can allow for a third shelf to be fitted and, together with taller doors, the result is a larger growing space.

As standard are the double doors and low threshold along with cantilever bracing for extra strength, a superb upgrade especially if the building is sited in a location more exposed to the elements. Package deals are available for this model making it one of the best performing greenhouses in the market place at this size.



STANDING 5'8" HIGH AT THE EAVES GIVES YOU EXTRA GROWING SPACE.

STANDARD FEATURES



DOUBLE DOORS



LOW THRESHOLD





CANTILEVER

MAXIM ONLY

PACKAGES AVAILABLE

GLAZING







ROOF VENT

6'x5' WIDE STREAMLINE

Unlimited Lengths from 4'5"

The long established Streamline by Elite remains a popular choice amongst growers with big aspirations from their smaller gardens or courtyards.

With large growing areas easily able to accommodate a combination of accessories, shelving and staging, together with the double doors and low threshold access, which are fitted as standard, superb performance is easily achieved from a 5'3" footprint.



Streamline 6'x5' (Nominal), Integral Base, Olive, Full Sheet Toughened Glass

THE STREAMLINE'S FRAME ACCOMMODATES SUPER STRENGTH DIAMOND INTEGRAL STAGING FOR A CLUTTER FREE, ELEGANT AND PRACTICAL WORKING AREA.

STANDARD FEATURES











POWDER COATED

Green

White

Black

Olive


Graphite

Brown

Berry Stone

Terracotta

RECOMMENDED ACCESSORIES





Unlimited Lengths from 4'5"

Thanks to the additional 11" of roof height, the Elite Delta pushes the boundaries of what can be achieved from a 5'3" greenhouse. With much more room, taller and bigger produce and accessories can easily be housed and the standard feature of double doors and low threshold access help increase the potential.

Our cantilever braces, again fitted as standard, offer extra strength making it an ideal choice for an environment exposed to the elements.





Delta 6'x5' (Nominal), Integral Base, Terracotta, Full Sheet Toughened Glass

9

STANDING 5'8" HIGH AT THE EAVES GIVES YOU EXTRA GROWING SPACE.

STANDARD FEATURES



DOUBLE DOORS



LOW THRESHOLD







DELTA ONLY

PACKAGES AVAILABLE see p56 for details

GLAZING









6'3" WIDE iGRO



The budget stretching 6' wide iGro provides an entry footing into the Elite Greenhouse experience.

Available only in 4'5", 6'5" and 8'5" lengths and with a choice of green or aluminium finishes, the 4mm

Polycarbonate greenhouse can be delivered to you in

extra quick time. Included as standard is a vent and the low threshold access door found on many of the other Elite buildings, and with a superb package deal available too, if cost is your primary concern, then this greenhouse really will take some beating.







PACKAGE FOR 6'3" iGro



2 - 3'x 8" SHELVES



AUTOMATIC ROOF VENT



GLAZING

2 4mm Twin Wall Polycarbonate

POWDER COATED

Green

3-5 **WORKING DAY LEAD** TIME

* The Shelves cannot be powder coated

iGRO COLD FRAME

Ideal for seedlings and small plants, the Cold Frame is a must have in a gardener's armoury in the battle to "bring on" small plants fighting against the cold conditions.

Available in two sizes 4'x2' and 6'x2'

3-5 working day lead time.

If you require the Cold Frame with Toughened Safety Glass or powder coated in a different Elite colour this can be done – please see page 41.



Available in Aluminium or Green

GLAZING



6'3" WIDE CRAFTSMAN

Unlimited Lengths from 4'5"

For many years now, the Elite Craftsman has been a favoured choice for the serious grower and, at 6'3" wide, is one of the most popular sizes as it allows for superb storage space without taking away from a great workable area.

With Elite's fantastic packages available and such a wide choice of accessories and colours, you can easily tailor your Craftsman to work elegantly and effectively in your own environment.



Craftsman 10' x 6' (Nominal), Integral Base, Black, Full Sheet Toughened Glass

CHECK OUT OUR PACKAGE DEALS ON P56 TO GET THE MOST OUT OF YOUR GREENHOUSE

STANDARD FEATURES









POWDER COATED

Green

White

Black

Olive

Graphite

Berry

Brown

Stone

Terracotta

Take a look at our new ACCESSORY BROCHURE for all the extras you need for your greenhouse.



6'3" WIDE HIGH EAVE

Unlimited Lengths from 4'5"

The High Eave adds an additional 11" of growing height into the same 6'3" wide greenhouse seen previously in the Craftsman.

The result is simply greater room for taller produce, a higher door for easier access and a more voluminous working space to accommodate practical accessories such as hanging basket rails or the superb 19" wide diamond staging. With a choice of packages and of course available in any of our coloured finishes, the outcome is a superb yet practical greenhouse from a very popular choice of size.



 $High\ Eave\ 8'x\ 6'\ (Nominal),\ Integral\ Base,\ Berry,\ Full\ Sheet\ Toughened\ Glass$

THE 5'1" EAVES HEIGHT ALLOWS FOR EXTRA GROWING SPACE

STANDARD FEATURES



ROOF VENT





HIGH EAVE ONLY

CANTILEVER

GLAZING











6'3" WIDE STRATA

Unlimited Lengths from 4'5"

The 6'3" wide Elite Strata greenhouse stands head and shoulders above most other 6' wide models in the market. Thanks to the extra eaves height, your working space is increased giving a far healthier and stable environment for your products to flourish, as well as room for high level shelving, allowing you to maxmise all of the usable areas in the greenhouse.

Fitted as standard with a double door, which is higher at 6'2" tall, the Strata features Elite's low level threshold doorway for ease of access when using a wheelbarrow or carrying heavy pots.



STANDARD FEATURES





CANTILEVER



LOW THRESHOLD



EAVES CORNER



ROOF VENT



POWDER COATED



Olive

Black

Berry

Graphite

Stone



INTEGRAL BASE

DOOR HANDLE



DOUBLE DOOR

Brown

Terracotta

White

GLAZING







HYBRID ALUMINIUM PANELS • Available on all Elite Greenhouses and Lean-To

- (excluding iGro)
- Extremely strong and virtually unbreakable on impact



1 5

6'3" WIDE FEATURED **DWARF WALL**

Unlimited Lengths from 4'5"

The Dwarf Wall is a popular choice when the customer requires an eaves height of which part is brickwork and the remainder is glass and aluminium. The attractive, unique styling, often associated with a bygone era, is achieved from a combination of a traditional designed greenhouse yet without the cost and maintenance associated with a period wooden building. The 6' wide model comes with a single door, has Elite's low threshold and is only available with full sheet toughened safety glass which provides a neat and professional finish.

The bricks used should be a completely solid engineered brick with no holes and made to a good standard.

Why not finish your Dwarf Wall with Bar Capping and Cresting and Finials to complete the look.

When constructing a wall please only build your brick base once you have an official base plan from Elite.



Dwarf Wall 10'x6' (Nominal), Green, Full Sheet Toughened Glass


A Width 1912mm

B Door Width 644mm 762mm

C Brick Wall Height 1492mm

D Eaves Height

E Ridge Height 2325mm



STANDARD FEATURES



POWDER COATED

Green

White

Black

Olive

Graphite Brown

Berry Stone

Terracotta



LOW THRESHOLD

Toughened Safety Glass



CANTILEVER



ROOF VENT



SINGLE LOCK

GUTTER





The GX600 will certainly make a statement in any garden or allotment. One of our premier models, this product is packed with superb features as standard to ensure that you get the best experience straight from the box.

A huge, airy and practical working space is achieved thanks to extra height double doors, extra high eaves, double roof vents and two side louvres along with full length hanging basket rails, a diamond shelf and our low threshold door entry. Immensely strong, with core-vect technology on both the gable and door end. With a stunning range of accessories, the GX is sure to enhance any outdoor space.



GX600 8'x6' (Nominal), Alloy, Full Sheet Toughened Glass

STANDARD FEATURES



TO WIDTH



2 LOUVRE VENTS



2 HANGING BASKET RAILS





3'WIDE DOUBLE DOORS



BAR CAPPING



DOUBLE ROOF VENTS



CORE-VECTTECHNOLOGY



DOOR HANDLE



CANTILEVERS

RECOMMENDED ACCESSORIES



KICK PLATE (VENTED OR SOLID)

BAYLISS MK7

POWDER COATED

LOCKABLE



Brown Terracotta Olive

Stone

Berry



LOW THRESHOLD

Black



GLAZING



Horticultural Glass



White


Toughened Safety Glass



6'3" WIDE TITAN

Unlimited Lengths from 6'5"

2 0



If strength is your primary factor when choosing your greenhouse then the Elite Titan is unsurpassable. Our greenhouses have always been renowned for strength, however, our Core-Vect Technology offers massively thicker framework than any product we have ever made before and more aluminium content than the leading competitors, which is why we feel there is no stronger greenhouse available in the UK today. With so many features included as standard, such as a generous double door opening with our low threshold access, a 10 blade louvre, canopy seals, cantilevers on every bar as well as being available as standard in alloy or a choice from nine sublime colours. With a fantastic range of accessories, Elite present a high definition greenhouse which is unique to the marketplace.



Titan 8'x6' (Nominal), Intergral Base, Green, Full Sheet Toughened Glass

STANDARD FEATURES



10 BLADE LOUVRE



INTEGRAL GUTTER







LOW THRESHOLD

POWDER COATED











Graphite















CANOPY SEAL



EAVES CORNER

HOW STRONG IS STRONG?

of the Titan bar before you make

enquiries@elite-greenhouses.co.uk



INTEGRAL BASE



DOOR HANDLE

CANTILEVERS




CORE-VECT TECHNOLOGY

GLAZING



4mm Toughened Safety Glass





Practicality is fused with style and elegance in the Thyme greenhouse by Elite. Available in two guises, either as a freestanding model or a dwarf wall design, either of which can only be described as stunning.

Taking a design from a bygone era and bringing it to the present day packed with practical features as standard such as double doors, roof vents, 2 louvre vents, a diamond shelf, crestings and finials and our low threshold access. The Thyme is immensely strong thanks to the elegant 12" wide glass panels and still retains a fantastic growing space. Our superb range of accessories and wide choice of colours will complement arguably one of the most attractive greenhouses available today.

When constructing a wall please only build your brick base once you have an official base plan from Elite.

GLASS TO GROUND OPTION



Thyme 8'x6' (Nominal), Integral Base, Green, Full Sheet Toughened Glass

STANDARD FEATURES





DIAMOND SHELF



EAVES CORNER



ROOF VENT



INTEGRAL GUTTER



INTEGRAL BASE




DOOR HANDLE



CRESTING & FINIALS



LOW THRESHOLD





POWDER COATED

Green Black

White Olive

Graphite

Berry

Stone

Brown

Terracotta

GLAZING



Toughened Safety Glass





7'5" WIDE VANTAGE

Unlimited Lengths from 4'5"

When your site area available is limited to 8' wide, previously your only option was to compromise and have a 6'4" wide greenhouse as any other models were simply too big.

The Vantage from Elite provides the answer as this all new size, 7'4", gives you the maximum sized building for your available base size without a compromise and includes double doors, cantilever braces, of course our superb low threshold access and all the accessories available to any model to allow a superb growing environment.



STANDARD FEATURES



DOUBLE DOORS



LOW THRESHOLD





CANTILEVER



ROOF VENT





INTEGRAL BASE



LOCKABLE

Take a look at our new ACCESSORY BROCHURE for all the extras you need for your greenhouse.



POWDER COATED







Berry



Horticultural Glass



GLAZING

Toughened Safety Glass



6mm Twin Wall Polycarbonate



Graphite



Terracotta





If strength is your primary factor when choosing your greenhouse then the Elite Titan is unsurpassable. Our greenhouses have always been renowned for strength, however, our Core-Vect Technology offers massively thicker framework than any product we have ever made before and more aluminium content than the leading competitors, which is why we feel there is no stronger greenhouse available in the UK today. With so many features included as standard, such as a generous double door opening with our low threshold access, a 10 blade louvre, canopy seals, cantilevers on every bar as well as being available as standard in alloy or a choice from nine sublime colours. With a fantastic range of accessories, Elite present a high definition greenhouse which is unique to the marketplace.

STANDARD FEATURES

10 BLADE LOUVRE



INTEGRAL GUTTER





CANOPY SEAL



LOW THRESHOLD

POWDER COATED

- Green
- Black
- Graphite
- Brown
- Terracotta
- White
- Olive
- Berry
- Stone





LOCKABLE

DOOR HANDLE



BAR CAPPING



HOW STRONG IS STRONG?

of the Titan bar before you make enquiries@elite-greenhouses.co.uk



CORE-VECT TECHNOLOGY






GLAZING





PACKAGES AVAILABLE see p56 for details



The long established Elite Belmont continues to thrive and remains an ever popular choice for customers.

A combination of a classic design and a wide range of features and accessories culminates in a well ventitlated, healthy and large growing space and with optional extras such as partitions, double doors and our superb package deals, the outcome is a superb greenhouse in one of the most popular sizes.



Belmont 12'x8' (Nominal), Single Door, Integral Base, Alloy, Full Sheet Toughened Glass

STANDARD FEATURES



CANTILEVER BRACES



GUTTER



SINGLE LOCK



INTEGRAL BASE



DOOR HANDLE



CORNER



ROOF VENT



HIGH TENSILE NUTS & BOLTS



Brown



LOW THRESHOLD

POWDER COATED

- Green
- Black
- Graphite
- Terracotta
- White
- Olive Berry
- Stone

PACKAGES AVAILABLE see p56 for

ACCESSORIES



PARTITION


OPTIONAL UPGRADE



DOUBLE DOORS

GLAZING









The Maiden by Elite, the latest addition to our incredible range of greenhouses, is a design which is sure to create quite an impression in any garden. Available in any of our nine sublime power coated finishes, as well as the traditional standard alloy, this model offers an amazing amount of growing volume thanks to the incredible roof design. Standing in its 8 feet wide footprint, the greenhouse offers an eaves height of 1583mm found throughout our 8 feet range, and yet the ridge height stretches out to a colossal 3160mm, thus providing a cavernous growing area for taller produce and allows for superb air flow for all crops. Based on the DNA found in the Titan series, arguably the strongest greenhouse on the market, the Maiden has our thickest aluminium bar and has its own unique gutter to collect the rain water from such a huge roof space and, as standard, is supplied with the rainwater kit, automatic openers on all of its roof vents together with generous double doors with our low threshold access, a 10 blade louvre, canopy seals, cantilevers on every bar and crestings and finnials for some added finesse. A truly voluminous greenhouse standing literally head and shoulders above the competition.

And you certainly will not miss the Maiden T-shape modification made specially for the Russian market.



Maiden T-shape modification greenhouse in Moscow

Toughened Safety Glass as standard

STANDARD FEATURES



10 BLADE LOUVRE



INTEGRAL GUTTER



CRESTINGS & FINIALS



LOW THRESHOLD

POWDER COATED

Green

Black

Graphite

Brown

Terracotta

White

Olive

Berry

Stone



LOCKABLE



CANOPY SEAL



DOUBLE DOORS





RAIN WATER KIT



CANTILEVERS





AUTOMATIC ROOF VENT

HOW STRONG IS STRONG?

of the Titan bar before you make enquiries@elite-greenhouses.co.uk



GLAZING



4mm Toughened Safety Glass





The GX800 will certainly make a statement in any garden or allotment. One of our premier models, this product is packed with superb features as standard to ensure that you get the best experience straight from the box.

A huge, airy and practical working space is achieved thanks to extra height double doors, extra high eaves, double roof vents and two side louvres along with full length hanging basket rails, a diamond shelf and our low threshold door entry. Immensely strong, with core-vect technology on both the gable and door end. With a stunning range of accessories, the GX is sure to enhance any outdoor space.



GX800 12'x8' (Nominal), Alloy, Full Sheet Toughened Glass

STANDARD FEATURES



TO WIDTH



2 LOUVRE VENTS



2 HANGING BASKET RAILS



GUTTER



4'WIDE DOUBLE DOORS



BAR CAPPING



DOUBLE ROOF VENTS

DOOR HANDLE





CANTILEVERS

POWDER COATED

LOCKABLE



Black

Graphite

Brown

Terracotta

White

Olive

Berry

Stone

GLAZING









RECOMMENDED ACCESSORIES



KICK PLATE (VENTED OR SOLID)





If strength is your primary factor when choosing your greenhouse then the Elite Titan is unsurpassable. Our greenhouses have always been renowned for strength, however our Core-Vect Technology offers massively thicker framework than any product we have ever made before and more aluminium content than the leading competitors, which is why we feel there is no stronger greenhouse available in the UK today. With so many features included as standard, such as a generous double door opening with our low threshold access, a 10 blade louvre, canopy seals, cantilevers on every bar as well as being available as standard in alloy or a choice from nine sublime colours. With a fantastic range of accessories, Elite present a high definition greenhouse which is unique to the marketplace.



Titan, 6'x8' (Nominal), Integral Base, Graphite, Full Sheet Toughened Glass

STANDARD FEATURES



10 BLADE LOUVRE



INTEGRAL GUTTER







LOW THRESHOLD

POWDER COATED

Green

Black

Brown

Terracotta

Graphite

White

Olive

Berry

Stone



LOCKABLE



CANOPY SEAL



EAVES CORNER



INTEGRAL BASE





HOW STRONG IS STRONG?

of the Titan bar before you make enquiries@elite-greenhouses.co.uk





BAR CAPPING



ROOF VENT

GLAZING



4mm Toughened Safety Glass



3 6

Unlimited Lengths from 6'5"



Practicality is fused with style and elegance in the Thyme greenhouse by Elite. Available in two guises, either as a freestanding model or a dwarf wall design, either of which can only be described as stunning.

Taking a design from a bygone era and bringing it to the present day packed with practical features as standard such as a 3' double door, roof vents, 2 louvre vents, a diamond shelf, crestings and finials and our low threshold access. The Thyme is immensely strong thanks to the elegant 12" wide glass panels and still retains a fantastic growing space. Our superb range of accessories and wide choice of colours will complement arguably one of the most attractive greenhouses available today.


When constructing a wall please only build your brick base once you have an official base plan from Elite.

GLASS TO GROUND OPTION



Thyme, 10'x8' (Nominal), Integral Base, Black, Full Sheet Toughened Glass

STANDARD FEATURES





DIAMOND SHELF



EAVES CORNER



ROOF VENT



LOCKABLE



DOOR HANDLE



LOW THRESHOLD



INTEGRAL BASE

Glass to ground only



CRESTING & FINIALS



INTEGRAL GUTTER

GLAZING

Toughened Safety Glass



6mm Twin Wall Polycarbonate



POWDER COATED

Green

Black

Graphite

Brown

Terracotta

White

Olive

Berry

Stone

8'5" WIDE FEATURED DWARF WALL

Unlimited Lengths from 6'5"

The Dwarf Wall is a popular choice when the customer requires an eaves height of which part is brickwork and the remainder is glass and aluminium. The attractive, unique styling, often associated with a bygone era, is achieved from a combination of a traditional designed greenhouse yet without the cost and maintenance associated with a period wooden building. The 8' wide model comes with a double door, has Elite's low threshold and is only available with full sheet toughened safety glass which provides a neat and professional finish.

The bricks used should be a completely solid engineered brick with no holes and made to a good standard.

Why not finish your Dwarf Wall with Bar Capping and Cresting and Finials to complete the look.

When constructing a wall please only build your brick base once you have an official base plan from Elite.



Dwarf Wall 10'x8' (Nominal), White, Full Sheet Toughened Glass


A Width 2570 mm

B Door Width 955 mm

C Brick Wall Height 762 mm

D Eaves Height 1662 mm

E Ridge Height 2538 mm



STANDARD FEATURES



POWDER COATED

Green

White

Black

Olive

Graphite

Berry

Brown

Stone

Terracotta













Toughened Safety Glass

GLAZING













10'5" WIDE TITAN 1000

Unlimited Lengths from 6'5"



If strength is your primary factor when choosing your greenhouse then the Elite Titan is unsurpassable. Our greenhouses have always been renowned for strength, however our Core-Vect Technology offers massively thicker framework than any product we have ever made before and more aluminium content than the leading competitors, which is why we feel there is no stronger greenhouse available in the UK today. With so many

features included as standard, such as a generous double door opening with our low threshold access, a 10 blade louvre, canopy seals, cantilevers on every bar as well as being available as standard in alloy or a choice from nine sublime colours. With a fantastic range of accessories, Elite present a high definition greenhouse which is unique to the marketplace.



Titan,20'x10' (Nominal) in Russia, Integral Base, Graphite, Full Sheet Toughened Glass

STANDARD FEATURES



10 BLADE LOUVRE



INTEGRAL GUTTER



DOOR HANDLE



EAVES CORNER

POWDER COATED

Green

Black

Graphite

Brown

Terracotta

White

Olive

Berry

Stone



LOWTHRESHOLD

BAR CAPPING



LOCKABLE





ROOF VENT



HOW STRONG IS STRONG?

enquiries@elite-greenhouses.co.uk



GLAZING



4mm Toughened Safety Glass



P 6mm Twin Wall Polycarbonate

4 2

10'5" WIDE SUPREME

Unlimited Lengths from 4'5"



Supreme 20'x10' (Nominal) in Russia, Brown, Full Sheet Toughened Glass

For the larger garden setting or the grower with bigger ideas, the Supreme by Elite offers a superb greenhouse containing an amazing growing space. With two 5 blade louvres, an 8' shelf and 3' wide double doors as standard this is a high performance greenhouse with the room and tools for some serious growing.

STANDARD FEATURES



DOUBLE DOORS





2 - 5 BLADE LOUVRES




LOCKABLE



EXTRUDED SHELF



NUTS & BOLTS



GUTTER

12'5" WIDE CLASSIQUE

Unlimited Lengths from 4'5"



Classique 16'x12' (Nominal), Green, Full Sheet Toughened Glass

The Classique is the professional's choice and offers an enormous uncompromised growing area. With all the standard features found on the Supreme, 4' wide double doors, a choice of powder coated finishes and a superb

range of accessories makes for a greenhouse with stunning looks and performance truly at home in the larger garden setting.

Take a look at our new ACCESSORY BROCHURE for all the extras you need for your greenhouse?

RECOMMENDED ACCESSORIES




on the Supreme and Classique, Elite recommend building a brick base.

For extra stability and strength

GLAZING








POWDER COATED



12'5" WIDE TITAN 1200

Unlimited Lengths from 6'5"



If strength is your primary factor when choosing your greenhouse then the Elite Titan is unsurpassable. Our greenhouses have always been renowned for strength, however our Core-Vect Technology offers massively thicker framework than any product we have ever made before and more aluminium content than the leading competitors, which is why we feel there is no stronger greenhouse available in the UK today. With so many

features included as standard, such as a generous double door opening with our low threshold access, a 10 blade louvre, canopy seals, cantilevers on every bar as well as being available as standard in alloy or a choice from nine sublime colours. With a fantastic range of accessories, Elite present a high definition greenhouse which is unique to the marketplace.



STANDARD FEATURES



10 BLADE LOUVRE



INTEGRAL GUTTER







EAVES CORNER

POWDER COATED

Green

Black

Graphite

Brown

Terracotta

White

Olive

Berry

Stone



LOW THRESHOLD

BAR CAPPING



LOCKABLE





ROOF VENT



HOW STRONG IS STRONG?

Contact Elite for a free sample enquiries@elite-greenhouses.co.uk



GLAZING



4mm Toughened Safety Glass



6mm Twin Wall Polycarbonate

EXTENSIONS

Gardeners know that once your hobby grows you want to move onto bigger things.

"I just haven't got enough room for all my plants"

"I wish I'd purchased a bigger greenhouse"

"I can't afford to purchase a new, bigger greenhouse"

These are just a few of the comments we hear from customers who have been taken by the bug. In over 60 years of manufacturing our greenhouses, the answer to these questions has always been the same. Yes, we can make your greenhouse bigger!

All our greenhouses are made to the customers' specific length at the time of manufacture as we do not, unlike other manufacturers, make greenhouses in sections or with add ons. Each greenhouse can be made to unlimited lengths.

For you, the customer, to sell your current Elite and have to go and buy a new, bigger one not only sounds expensive but also unfair. Having made the initial investment and commitment to our products, like your produce, your greenhouse should be able to grow with you. With an Elite greenhouse then answer is that it can!!!



Please contact Elite or your nearest agent for more details.















SPECIALS

As the manufacturer we feel that our range of products, sizes and specifications, which is the broadest range in the UK, covers pretty much every eventuality in a customer's choice and requirements. However, if you feel you have a specific need please get in touch and see if we can meet your special requirements.

DROP DOOR

A drop door modification is applied when the overall height of any Elite building needs to be increased.

It involves a brick wall being built by the customer to their desired height before a standard dimensional building is then constructed on top. A threshold is left in the wall for the door(s) to be dropped into and the cambered drop door then provides a neat and professional finish with the all important easy access.

As an optional extra, the doors can also be dropped on the larger greenhouse models (Supreme and Classique) and Lean-Tos providing a ground level threshold for easy access.



Unlimited Lengths from 4'5"

2'3" WIDE EASYGROW

Easygrow 6'x2' (Nominal), Green, Full Sheet Toughened Glass

A fitting name for a superb all round product, the Easygrow provides growing success from a reduced space without a reduction in quality and available features.

4'4" WIDE WINDSOR




Windsor 6'x4' (Nominal), Separate 5" Alloy Base, Alloy, Toughened Glass

A lower ridge height of 6'7", ideal for attachment to garages and sheds, is one of the main attractions of the Windsor making it a popular choice amongst gardeners.

STANDARD FEATURES





RECOMMENDED ACCESSORIES







POWDER COATED

Green

Graphite

Terracotta

Olive

Stone

Black


Brown

White

Berry

GLAZING

Horticultural Glass



P6mm Twin Wall Polycarbonate

PACKAGES AVAILABLE see p56 for details

Windsor Only



Available in two sizes 4'x2' and 6'x2'.

Available in Aluminium or Green.

GLAZING

(P) 4mm Twin Wall Polycarbonate



COLD FRAME





Tilt or slide top vents. Tilt vents are only intended for frame access. If you require the Cold Frame with Toughened Safety Glass or powder coated in a different Elite colour this can be done. Please note Elite's standard lead time will apply.

POWDER COATED

Green

White

Black

Olive

Graphite

Berry

Stone

Brown Terracotta

Toughened Safety Glass

WINDOW GARDEN

If your circumstances result in little or no space whatsoever, then Elite's Window Garden can attach to walls or sheds and provide blossoming potential from a simple grow bag to a fully featured herb garden.

GLAZING

Horticultural Glass

Toughened Safety Glass

6mm Twin Wall Polycarbonate

POWDER COATED

Green

Brown

Terracotta

Olive

Black

Graphite

White

Stone

EXTRA BASE TRAYS AVAILABLE

STANDARD FEATURES



GUTTER



CATCH

Unlimited Lengths from 4'5"

4'4" WIDE



Kensington 10'x4' (Nominal), Green, Full Sheet Toughened Glass



Kensington 8'x4' (Nominal), Separate 5" Alloy Base, Alloy, Horticultural Glass

6'4" WIDE



Kensington 22'x6' (Nominal), Green, Full Sheet Toughened Glass, Including Internal Partition





Kensington 22'x6' (Nominal), Separate 5" Alloy Base, Brown, Horticultural Glass, Including Internal Partition

Manufactured to any length, there are no limits when it comes to the three width sizes in the Kensington range. Packed full of features found in our freestanding models, these lean-to greenhouses bring the joys of the garden into the home.

PLEASE NOTE If your lean-to covers the entrance to a dwelling, you must have toughened safety glass throughout. If you have anything overhanging the ridge on a lean-to, please allow 1" (25mm) height clearance for the roof vent.

	A RIDGE HEIGHT (excluding any base)	B WIDTH (coming out of the wall)	EAVES HEIGHT (excluding any base)	Door Height x Width (excluding any base)	Door Position Options SD=Single DD=Double (SD is supplied as standard)
4'4" KENSINGTON	7'4" (2235mm)	4'4" (1320mm)	5′11½″ (1820mm)	Single Door 5'8½" x 1'11½" (1740x600mm)	
6'4" KENSINGTON	7′10½″ (2400mm)	6′4½″ (1940mm)	5′11½″ (1820mm)	Double Door 5'8'½" x 3'11'½" (1740x1200mm)	SD on length and/or width DD on length (length over 8')





Unlimited Lengths from 6'5"

8'4" WIDE



K800 18'x8' (Nominal), Brown, Full Sheet Toughened Glass



K800 12'x8' (Nominal), Green, Full Sheet Toughened Glass

- · Heavy duty Core-Vect technology
- No base required the lean-to is supplied with flat cills
- Tall 3'9" wide double doors front or gable position
- One 5 blade louvre
- At least 1 roof vent
- Door lock & handle
- One 8' long Diamond shelf

When ordering, please inform your retailer the required door position.

PLEASE NOTE If your lean-to covers the entrance to a dwelling, you must have toughened safety glass throughout. If you have anything overhanging the ridge on a lean-to, please allow 1" (25mm) height clearance for the roof vent.



GLAZING

4mm Toughened Safety Glass

() 6mm Twin Wall Polycarbonate







5 BLADE LOUVRE



LOCKABLE





NUTS & BOLTS







RECOMMENDED ACCESSORIES





AUTOMATIC LOUVRE





AUTOMATIC ROOF VENT



STAGING

POWDER COATED



White Olive

Black Graphite

Berry

Stone

Brown

Terracotta

Unlimited Lengths from 4'5"

R-TYPE LEAN-TO




The Lean-to R-type offers similar principles allowing flexibility to the gardener regardless of the growing space available.

Through the removal of its gable end, the Lean-to R-type allows not only the length section of the framework to be attached to a wall but, also, one of the gable ends making it ideal to fit into a restrictive space with two walls, such as an alcove or any L shaped area.

Simply decide how far you would like the building to extend from the wall which is governed by the models available. The R-type, like the traditional Lean-to, can then be made to any length and the desired gable end will be removed once your order has been confirmed.

Once you have chosen your desired R-type, the standard features available to the traditional model will then apply.



Kensington 6 R-Type 12'x6' (Nominal)



Kensington 6 R-Type 10'x6' (Nominal)

A WIDTH (Coming out from the wall)	B LENGTH
EASYGROW	from
2'3" (700m)	4′5″
WINDSOR	from
4'4" (1320mm)	6'6"
KENSINGTON 4	from
4'4" (1320mm)	6′5″
KENSINGTON 6	from
6'4" (1940mm)	6′5″
K 800	from
8'4" (2535mm)	6'5"





R-TYPE GREENHOUSE



This is not freestanding, the R-Type range must be attached to a wall

NOTE

Compact R-Type 6'x4' (Nominal)

The R-type from Elite offers flexibility for your gardening space. The R-type can fit into your garden set-up through the removal of the framework's rear end thus allowing it to become an integral part of a wall, shed or garage.

The important consideration with the freestanding R-type is the apex width, the section of the framework which will attach to your designated vertical surface which is governed by the width of any of our freestanding models. Once you have chosen your building, it can then be made to any required length from the wall.

Once you have chosen your desired R-type, the standard features available to the traditional model will then apply.

A WIDTH


The R-Type width depends on which freestanding greenhouse model you choose.

Choose any model from pages 6 through to page 37.

B LENGTH (Depth from the wall)
Unlimited lengths starting from 2' (610mm)



High Eave R-Type 2'x6' (Nominal)





PACKAGES

We have designed our packages to help simplify choosing a greenhouse, to group together accessories to enable you to get started with a bang and to offer great value with one single price to pay.

The package features are in conjunction with the greenhouse's standard features.

Upgrade any package to toughened safety glass

PACKAGE 1 - MODELS AVAILABLE

4' wide (Compact & Maxim), 5' wide (Streamline & Delta), 6' wide (Craftsman, High Eave & Strata),

7' wide (Vantage), 8' wide (Belmont)

- Integral Base
- · Low threshold door
- One 5 blade louvre vent
- One Elite automatic roof vent opener
- One automatic louvre vent opener
- Diamond 2 slat shelf to the length
- Diamond staging to the length (number of slats depends upon the greenhouse width)
- Door lock
- Door handle
- Standard rainwater kit
- Grow hooks (6)

PACKAGE 2 - GX600 & GX800

- Low threshold double door
- One Bayliss MK7 automatic roof vent opener
- Two automatic louvre vent openers
- Diamond 2 slat shelf to the length
- Diamond staging to the length (number of slats depends upon the greenhouse width)
- · Door lock
- Door handle
- Standard rainwater kit
- · Grow hooks (6)

PACKAGE 3 – WINDSOR LEAN-TO

- 5" separate aluminium base
- One 5 blade louvre vent
- One Elite automatic roof vent opener
- One automatic louvre vent opener
- Diamond 2 slat shelf to the length
- Diamond staging to the length (number of slats depends upon the greenhouse width)
- · Lean-to rainwater kit
- Grow hooks (6)

PACKAGE 4 - TITAN 600, 700 & 800

- Integral Base
- · Low threshold door
- One Bayliss MK7 automatic roof vent opener
- One automatic louvre vent opener
- Diamond 2 slat shelf to the length
- Diamond staging to the length (number of slats depends upon the greenhouse width)
- Door lock
- Door handle
- Standard rainwater kit
- Grow hooks (6)


















GLAZING MATERIAL



HORTICULTURAL GLASS:

Available in 3mm thick overlapping glass sheets. Not recommended in roofs in Russia.



TOUGHENED SAFETY GLASS 4mm:

In the event of a breakage, the glass granulates removing any danger of injury. Elite only use Grade A toughened glass to Standard EN12150 which is primarily in full length sheets providing a neater finish, especially with bar capping, and removes any overlapping glass where algae and moss can often be a problem.



POLYCARBONATE:

UVI treated, twin wall with silvered edges and, like the toughened safety glass, it comes in full sheets and is a great option where children and pets are concerned. Elite offer 6mm thick on every model.

We do not recommend polycarbonate in Russia though.

Remember, when handling any type of glass the upmost care must be taken as it is extremely fragile when not in situ. Always protect your hands and eyes when handling glass and we advise that safety gloves and goggles are worn.

BAR CAPPING

Bar Capping provides a stronger hold for the glazing and adds a decorative finish to any greenhouse. The rubber fin also adds a better water seal between the frame and glass. Capping is used in addition to wire clips so in effect will add double protection which is ideal in more exposed areas.

The capping is simply screwed into position using colour coded screws which do not leave any unsightly silver screw heads on show.

Not recommended with overlapping glass.





















GREEN



GRAPHITE

BROWN

TERRACOTTA




OLIVE

BERRY

STONE





POWDER COATING


- High class, hard wearing, professional powder coated finish
- Available in nine attractive colours Green, Graphite,
 Black, White, Brown or Terracotta
- · Co-ordinate with your garden environment
- Has been thoroughly tried and tested and has been available to Elite customers for over 20 years
- Environmentally friendly way of applying colour to aluminium unlike wet paint which requires the use of solvents
- Most aluminium accessories can also be powder coated to suit your greenhouse
- · A good depth of colour
- The frame is resistant to corrosion, UV degradation and offers a life expectancy in excess of 25 years
- All Elite's frames are individually wrapped in polythene and labelled for added protection during transportation and storage
- Elite provide nut caps with all powder coated models and accessories to give a nice, clean, professional finish to your product by covering up any unsightly nuts and bolts.











THE MOST POPULAR METHOD IS TO LAY A LEVEL FLAGGED AREA.

Please remember to build your slabs slightly bigger than the greenhouse size, as this gauge is only nominal and the product is actually a few inches bigger. For example, for an 8'x6' greenhouse you might want to consider a slab area of 10'x8' as this will allow you to position water barrels and will also allow enough room to get around the greenhouse to clean and maintain.



SOFT GROUND

The majority of greenhouses are constructed onto a solid foundation however if your greenhouse is being constructed onto soil or grass, persistent stepping on the door cill will cause damage as it will naturally follow the contour of the ground. A hard support, such as flags, must be fitted under the cill and Elite recommend using their soft soil support which allows the door(s) to run in the track.

Hard or soft surface, Elite provide, as standard, both options to anchor the base down.





FREE STANDING GREENHOUSE UP TO 8'WIDE

Elite, as standard, offer only aluminium bases which are an integral part of the framework giving additional strength - the stronger the base the better! Elite only supply bases made from aluminium therefore removing the fear of rust, rot or warping. Due to the fact Elite's aluminium bases are an integral part of the framework, this has allowed us to manufacture a low threshold door which also means the door(s) are taller. As standard the door(s) are "dropped" into the base providing a ground level threshold allowing easy access for the user. Please note a base is not required on the iGro or GX range.







LARGER GREENHOUSES – 10' & 12' WIDE

For extra stability and strength on the larger models we recommend building a brick base. A solid engineering brick should always be used, however, please note that the number of bricks used in the base height will result in a higher step-over into the greenhouse. Overlapping cills demonstrate a need for accuracy when building a brick base. As an optional extra the door(s) can also be dropped into the brick work to allow wheelchair and wheelbarrow access. Please refer to the technical information on page 64 for exact measurements.

As an optional extra, Elite offer an integral aluminium base with drop doors giving low level threshold for the 10' and 12' wide greenhouses.









LEAN-TO

Elite offer a separate 5" aluminium base on all Lean-Tos as an optional extra. The aluminium base is versatile in that it has the ability to go directly onto soil or grass and can be adapted for any solid foundation, such as concrete slabs.

The lean-to base does not have a ground level threshold as standard, however as an optional extra the door(s) can be dropped into the aluminium base/brick work to achieve this.

On the Titan K800 Lean-To no base is required. The Lean-To is supplied with flat cills. However, (as an optional extra) Elite offer an integral aluminium base with drop doors giving low level threshold should a base be required.





CONSTRUCTION

Every Elite comes with its own set of comprehensive instructions. The level of difficulty assembling each model depends solely upon the competence of the individual. For most sized greenhouses, depending upon ability, speed and helpers available to you, a building can be completed within a weekend. However, we recommend you take your time in constructing your greenhouse, plan each stage of the build and follow the instructions carefully.

Anyone with a reasonable level of practical ability can construct an Elite easily, however, the majority of garden centres operate a construction service in the event of you preferring it to be done for you. This offers peace of mind that the product has been assembled correctly.

Tools needed:

Step ladders, M6 – M10 Spanner, Pozi Drive screwdriver, Gloves, Goggles





For additional guidance during construction visit our website and watch our helpful video tutorials. www.elite-greenhouses.co.uk

WHERE TO BUY

Today's budding gardeners and enthusiasts have many avenues available to them with regards to sourcing an Elite product. We, as the manufacturer, do not sell direct to the general public, but instead supply garden centres and garden building outlets across the UK. Many dealers appear in magazines, flower shows and on the internet and offer show sites where you can actually go and view a fully constructed product.

If you are unsure where to begin, then simply contact us directly on 01204 791488 or email us at enquiries@elite-greenhouses.co.uk One of our staff will be more than happy to provide you with details of your local suppliers.



DELIVERY







Elite deliver the majority of greenhouses direct to your door, nationwide, using our own fleet of vehicles. Customers based in Ireland, parts of Scotland and other off shore locations can arrange their delivery through local agents.

Our vehicles are Class II 15 ton lorries, similar in dimensions to a furniture removal van, so if you have access restrictions to your property then please contact your supplier to discuss an alternative address and to clarify your postcode for the delivery route.

The exception to our delivery policy is where some garden centres, or dealers, stock levels of products to reduce costs and delivery lead times and, in these instances, the delivery will be arranged by them. This will also apply if your stockist has arranged to construct your product for you.

Our lead times are only for guidance so please check with your stockist as they can vary throughout the year. Please inform your stockist if you are unable to take delivery at any time.

Our drivers are accustomed to delivering to unattended properties and will deposit wherever you require and post the paperwork through your letter box to enable you to check the items on your return.


If you know your address is difficult to find, or there is something unusual about your address (like the postcode doesn't bring you anywhere near your house) let your agent know at the time of ordering.




TECHNICAL INFO

Long lengths are available on every model listed.

Please contact your supplier for a base plan for any size or modification (Drop Door, Dwarf Wall, Partition etc.) not listed on this page.





When constructing a wall please only build your brick base once you have an official base plan from Elite.

Exact base dimensions for Elite range (where required). The following measurements are external dimensions... Please note the width at the gutter is wider than the base.

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
4 x 4	Compact	1300	1351	1874	1553	1553 2122	Double		•		•	1	0	0	0	0		0
6 x 4	Compact	1300	1971	2361	with	with	1750 x 600		•	BIB	•	1	0	0	0	0		0
8 x 4	Compact	1300	2589	2897	BIB	BIB			•		•	1	0	0	0	0		0
4 x 4	Maxim	1300	1351	1874	1726	2300	Double		•		•	1	0	0	0	0		0
6 x 4	Maxim	1300	1971	2361	with	with	1910 x 600		•	BIB	•	1	0	0	0	0		0
8 x 4	Maxim	1300	2589	2897	BIB	BIB			•		•	1	0	0	0	0		0
4 x 5	Streamline	1590	1351	2086	1425	2122	Double		•		•	1	0	0	0	0		0
6 x 5	Streamline	1590	1971	2532	with	with	1750 x 600		•	BIB	•	1	0	0	0	0		0
8 x 5	Streamline	1590	2589	3038	BIB	BIB			•		•	1	0	0	0	0		0
4 x 5	Delta	1590	1351	2086	1726	2420	Double		•		•	1	0	0	0	0		0
6 x 5	Delta	1590	1971	2532	with	with	1910 x 600		•	BIB	•	1	0	0	0	0		0
8 x 5	Delta	1590	2589	3038	BIB	BIB			•		•	1	0	0	0	0		0
4 x 6	iGro	1915	1363	2348			Single	•		No Base	•	1		0				
6 x 6	iGro	1915	1981	2753	1350	2180	Single 1750 x 600	•		required	•	1		0				
8 x 6	iGro	1915	2600	3228			1750 X 000	•		· ·	•	1		0				
4 x 6	Craftsman	1900	1351	2331				•			•	1	0	0	0	0		0
6 x 6	Craftsman	1900	1971	2737	1292	2122	Single	•			•	1	0	0	0	0		0
8 x 6	Craftsman	1900	2589	3211	with	with	1750 x 600	•		BIB	•	2	0	0	0	0		0
10 x 6	Craftsman	1900	3205	3725	BIB	BIB		•			•	2	0	0	0	0		0
12 x 6	Craftsman	1900	3823	4269				•			•	2	0	0	0	0		0
4 x 6	High Eave	1900	1351	2331			Single 1910 x 600	•			•	1	0	0	0	0	0	0
6 x 6	High Eave	1900	1971	2737	1585	2420		•			•	1	0	0	0	0	0	0
8 x 6	High Eave	1900	2589	3211	with	with		•		BIB	•	2	0	0	0	0	0	0
10 x 6	High Eave	1900	3205	3725	BIB	BIB		•			•	2	0	0	0	0	0	0
12 x 6	High Eave	1900	3823	4269				-			_	2	0	0	0	0	0	0
4 x 6	Strata	1900	1351	2331					•	BIB	•	1	0	0	0	0	0	0
6x6	Strata	1900	1971	2737	1585	2420	Double		•		•	2	0	0	0	0	0	0
8 x 6 10 x 6	Strata Strata	1900 1900	2589 3205	3211 3725	with BIB	with BIB	1910 x 840				-	2	0	0	0	0	0	0
12 x 6	Strata	1900	3823	4269	DID	DID						2	0	0	0	0	0	0
									_			1	_					
4x6 6x6	GX600 GX600	1936 1936	1373 1993	2373 2779					•	No Base required	•	1	2 2 6' 2 Diamond	-	•	0	0	0
8 x 6	GX600	1936	2611	3250	1631	2470	Double		•		-	2			0	0		
10 x 6	GX600	1936	3227	3763	1031	2470	1910 x 840		•		•	2	2	Shelf	•	0	0	0
12 x 6	GX600	1936	3845	4305					•		•	2	2	-	•	0	0	0
4x6	Thyme 6 - Floor	1900	1351	2331					•		•	1	2		0	•	0	0
6x6	Thyme 6 - Floor	1900	1971	2737	1585	2420			•		•	1	2	6′	0	•	0	0
8 x 6	Thyme 6 - Floor	1900	2589	3211	with	with	Double		•	BIB	•	2	2	Diamond	0	•	0	0
10 x 6	Thyme 6 - Floor	1900	3205	3725	BIB	BIB	1910 x 600		•		•	2	2	Shelf	0	•	0	0
12 x 6	Thyme 6 - Floor	1900	3823	4269					•		•	2	2		0	•	0	0
6 x 6	Titan 600	1900	1971	2737					•		•	1	1	0	•	0	0	0
8 x 6	Titan 600	1900	2589	3211	1585	2420	Double		•	DID	•	2	1	0	•	0	0	0
10 x 6	Titan 600	1900	3205	3725	with BIB	with BIB	1910 x 840		•	BIB	•	2	1	0	•	0	0	0
12 x 6	Titan 600	1900	3823	4269	DID	DID			•		•	2	1	0	•	0	0	0
6 x 7	Vantage	2225	1971	2972					•		•	1	0	0	0	0	0	0
8 x 7	Vantage	2225	2589	3413					•		•	2	0	0	0	0	0	0
10 x 7	Vantage	2225	3205	3901	1505				•		•	2	0	0	0	0	0	0
12 x 7	Vantage	2225	3823	4423	1585 with	2370 with	Double		•	BIB	•	2	0	0	0	0	0	0
14 x 7	Vantage	2225	4441	4967	BIB	BIB	1910 x 890		•	טוט	•	3	0	0	0	0	0	0
16 x 7	Vantage	2225	5059	5526					•		•	4	0	0	0	0	0	0
18 x 7	Vantage	2225	5677	6097					•		•	5	0	0	0	0	0	0
20 x 7	Vantage	2225	6295	6676					•		•	6	0	0	0	0	0	0

KEY

•: Standard Features

o: Optional Extra

BIB: Built in Base

SD - L : Single Door available on Length only

O - BIB : Optional Built in Base

SD - W : Single Door available on Width only

O - SB : Optional 5" Separate Aluminium Base R - BB : Recommended Brick Base

O - DD : Optional Double Door on Length (and/or Width if over 8')

SD - LW : Single Door available on Length and/or Width


BRK : Brick Wall

Nominal Size (ft)	Model Name	A (mm)	B (mm)	C (mm)	E (mm)	F (mm)	Door Height x Width	Single Door	Double Door	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
6 x 7	Titan 700	2225	1971	2972				0	•	•	•	1	1	0	•	0	0	0
8 x 7	Titan 700	2225	2589	3413				0	•	•	•	2	1	0	•	0	0	0
10 x 7	Titan 700	2225	3205	3901	1585	2410		0	•	•	•	2	1	0	•	0	0	0
12 x 7	Titan 700	2225	3823	4423	with	with	Double	0	•	•	•	2	1	0	•	0	0	0
14 x 7	Titan 700	2225	4441	4967	BIB	BIB	1910 x 840	0	•	•	•	3	1	0	•	0	0	0
16 x 7	Titan 700	2225	5059	5526				0	•	•	•	4	1	0	•	0	0	0
18 x 7	Titan 700 Titan 700	2225 2225	5677 6295	6097				0	•	•	•	5	1	0	•	0	0	0
20 x 7				6676						_		6	-		_	0		
6 x 8	Belmont	2545	1971	3218				•	0		•	1	0	0	0	0	0	0
8 x 8	Belmont	2545	2589	3630			Single	•	0		•	2	0	0	0	0	0	0
10 x 8	Belmont	2545	3205	4092	1585	2475	1910 x 600	•	0		•	2	0	0	0	0	0	0
12 x 8 14 x 8	Belmont	2545 2545	3823 4441	4592 5118	with	with		•	0	BIB	•	3	0	0	0	0	0	0
16 x 8	Belmont Belmont	2545	5059	5663	BIB	BIB	Double	•	0		•	4	0	0	0	0	0	0
18 x 8	Belmont	2545	5677	6221			1910 x 890	•	0		•	5	0	0	0	0	0	0
20 x 8	Belmont	2545	6295	6789				•	0		•	6	0	0	0	0	ō	0
6 x 8	GX800	2586	1993						•		•	1	2			0	0	
8 x 8	GX800	2586	2611	3263 3673							•	2	2		•	0	0	0
10 x 8	GX800	2586	3227	4134					•		•	2	2		•	0	0	0
12 x 8	GX800	2586	3845	4632			Double		•	No Base	•	2	2	8′	•	0	0	0
14 x 8	GX800	2586	4461	5155	1631	2510	1910 x 1150		•	required	•	4	2	Diamond	•	0	0	0
16 x 8	GX800	2586	5079	5698					•		•	4	2	Shelf	•	0	0	0
18 x 8	GX800	2586	5697	6255					•		•	6	2		•	0	0	0
20 x 8	GX800	2586	6315	6823					•		•	6	2		•	0	0	0
6 x 8	Thyme 8 - Floor	2545	1971	3218					•		•	1	2		0	•	0	0
8 x 8	Thyme 8 - Floor	2545	2589	3630			Double 1910 x 890		•		•	2	2		0	•	0	0
10 x 8	Thyme 8 - Floor	2545	3205	4092					•		•	2	2		0	•	0	0
12 x 8	Thyme 8 - Floor	2545	3823	4592	1585	2480			•	DID	•	2	2	8′	0	•	0	0
14 x 8	Thyme 8 - Floor	2545	4441	5118	with BIB	with BIB			•	BIB	•	4	2	Diamond Shelf	0	•	0	0
16 x 8	Thyme 8 - Floor	2545	5059	5663	DID	DID			•		•	4	2	Jileli	0	•	0	0
18 x 8	Thyme 8 - Floor	2545	5677	6221					•		•	6	2		0	•	0	0
20 x 8	Thyme 8 - Floor	2545	6295	6789					•		•	6	2		0	•	0	0
6 x 8	Maiden 800	2545	1979	3224					•	BIB	•	2	1	•	•	•	0	0
9 x 8	Maiden 800	2545	2909	3865					•		•	2	1	•	•	•	0	0
12 x 8	Maiden 800	2545	3839	4606	1583	3160	Double 1910 x 840		•		•	2	1	•	•	•	0	0
15 x 8	Maiden 800	2545	4769	5406			1910 x 040		•		•	4	1	•	•	•	0	0
18 x 8	Maiden 800	2545	5695	6238					•		•	6	1	•	•	•	0	0
6 x 8	Titan 800	2545	1971	3218					•		•	1	1	0	•	0	0	0
8 x 8	Titan 800	2545	2589	3630					•	BIB	•	2	1	0	•	0	0	0
10 x 8	Titan 800	2545	3205	4092	1505	2475	Davible		•		•	2	1	0	•	0	0	0
12 x 8	Titan 800	2545	3823	4592	1585 with	2475 with	Double 1910 x 1150		•		•	2	1	0	•	0	0	0
14 x 8	Titan 800	2545	4441	5118	BIB	BIB	1310 X 1130		•		•	4	1	0	•	0	0	0
16 x 8	Titan 800	2545	5059	5663					•		•	4	1	0	•	0	0	0
18 x 8	Titan 800	2545	5677	6221					•		•	6	1	0	•	0	0	0
20 x 8	Titan 800	2545	6295	6789					•		•	6	1	0	•	0	0	0
10 x 10	Supreme	3195	3194	4517					•		0	2	2		0	0	0	0
12 x 10	Supreme	3195	3812	4974	1345		Double		•	O - SB	0	2	2	8′	0	0	0	0
14 x 10	Supreme	3195	4430	5462	Ex	2420	1750 x 890		•	0 55	0	3	2	Extruded	0	0	0	0
16 x 10	Supreme	3195	5048	5974	Base	Ex Base	Ex Base		•	R - BB	0	4	2	Shelf	0	0	0	0
18 x 10	Supreme	3195	5666	6505					•		0	4	2		0	0	0	0
20 x 10	Supreme	3195	6284	7050					•		0	4	2		0	0	0	0
10 x 10	Titan 1000	3195	3194	4517					•		•	2	1	0	•	0	0	0
12 x 10	Titan 1000	3195	3812	4974	1345				•		•	2	1	0	•	0	0	0
14 x 10	Titan 1000	3195	4430	5462	Ex	2460	Double		•	O - BIB	•	4	1	0	•	0	0	0
16 x 10	Titan 1000	3195	5048	5974	Base	Ex Base	1910 x 840		•		•	4	1	0	•	0	0	0
18 x 10	Titan 1000	3195	5666	6505					•		•	6	1	0	•	0	0	0
20 x 10	Titan 1000	3195	6284	7050					•		•	6	1	0	•	0	0	0
10 x 12	Classique	3804	3194	4967					•		0	2	2		0	0	0	0
12 x 12	Classique	3804	3812	5385	1345		Double		•	O - SB	0	2	2	8′	0	0	0	0
14 x 12	Classique	3804	4430	5839	Ex	2630	1750 x 1200		•	0 30	0	3	2	Extruded	0	0	0	0
16 x 12	Classique	3804	5048	6320	Base	Ex Base	Ex Base		•	R - BB	0	4	2	Shelf	0	0	0	0
18 x 12	Classique	3804	5666	6825					•		0	4	2		0	0	0	0
20 x 12	Classique	3804	6284	7346					•		0		2		0	0	0	0
10 x 12	Titan 1200	3804	3194	4967					•		•	2	1	0	•	0	0	0
12 x 12	Titan 1200	3804	3812	5385	1345	2670			•		•	2	1	0	•	0	0	0
14 x 12	Titan 1200	3804	4430	5839	Ex	Ex	Double		•	O - BIB	•	4	1	0	•	0	0	0
16 x 12	Titan 1200	3804	5048	6320	Base	Base	1910 x 1150		•		•	4	1	0	•	0	0	0
18 x 12 20 x 12	Titan 1200 Titan 1200	3804 3804	5666 6284	6825 7346					•		•	6	1	0	•	0	0	0
20 1 12	11(01) 1200	3004	0204	/ 기식()			1		_		-	U			_			

TECHNICAL INFO

Long lengths are available on every model listed.

Please contact your supplier for a base plan for any size or modification (Drop Door, Dwarf Wall, Partition etc.) not listed on this page.



If you have anything overhanging the ridge on a lean-to, please allow 1" (25mm) height clearance for the roof vent.

KEY

•: Standard Features

o: Optional Extra

BIB: Built in Base

O - BIB: Optional Built in Base

O - SB: Optional 5" Separate Aluminium Base

R - BB: Recommended Brick Base

BRK: Brick Wall

SD - L : Single Door available on Length only


SD - W: Single Door available on Width only

SD - LW: Single Door available on Length and/or Width

O - DD : Optional Double Door on Length (and/or Width if over 8')


Nominal Size (ft)	Model Name	L (mm)	M (mm)	N (mm)	O (mm)	P (mm)	Door Height x Width	Single Door	Door Position	Base	Low Threshold Door	Roof Vents	Louvre Vents	Shelf	Bar Capping	Crestings & Finials	Partition	Dwarf Wall
4 x 2	Easygrow	670	1346	1504	1830	1590 Ex Base	1500 x 600	•			0	1	0	0	0			0
6 x 2	Easygrow	670	1964	2067	Ex		Ex Base	•	SD-L	O - SB	0	1	0	0	0			0
8 x 2	Easygrow	670	2582	2638	Base	LX Dase	1500 x 1200	X Door 000			0	1	0	0	0			0
6 x 4	Windsor	1297	1960	2349				•			0	1	0	0	0			0
8 x 4	Windsor	1297	2578	2885	2010 Ex	1590	1600 x 600	•	SD-W	O - SB	0	1	0	0	0			0
10 x 4	Windsor	1297	3196	3448	Base	Ex Base	Ex Base	•	3D-W	O - 3B	0	1	0	0	0			0
12 x 4	Windsor	1297	3814	4028	Dase			•			0	1	0	0	0			0
6 x 4	Kensington	1297	1960	2349			Single 1750 x	•			0	1	1		0			0
8 x 4	Kensington	1297	2578	2885	2235	1800	600	•	O-DD	O - SB	0	1	1	4' Extruded Shelf	0			0
10 x 4	Kensington	1297	3196	3448	Ex	Ex Base	Double 1750	•			0	1	1		0			0
12 x 4	Kensington	1297	3814	4028	Base	EX Buse	x 1200 Ex base	•			0	1	1		0			0
6 x 6	Kensington	1915	1960	2740	2400 Ex	1800 Ex Base	Single 1750 x	•			0	1	1		0		0	0
8 x 6	Kensington	1915	2578	3211			Double 1750 x 1200	SD-LW		0	1	1	6′	0		0	0	
10 x 6	Kensington	1915	3196	3725				•	O-DD	O - SB	0	1	1	Extruded	0		0	0
12 x 6	Kensington	1915	3814	4267	Base	EX Buse		•	0-00		0	1	1	Shelf	0		0	0
6 x 8	Titan	2534	1991	3223				Double		Gable No Base required Double Doors O - BIB	•	1	1	8'	0		0	0
8 x 8	Titan	2534	2609	3637							•	1	1		0		0	0
10 x 8	Titan	2534	3227	4103							•	1	1		0		0	0
12 x 8	Titan	2534	3845	4605	2743 Ex	1950	Double 1910		Double		•	1	1		0		0	0
14 x 8	Titan	2534	4463	5132	Base	Ex Base	x 1150 Ex Base				•	2	1	Diamond Shelf	0		0	0
16 x 8	Titan	2534	5081	5678	Dase		Ex Base		Doors		•	2	1	Silell	0		0	0
18 x 8	Titan	2534	5699	6237							•	3	1		0		0	0
20 x 8	Titan	2534	6319	6809							•	3	1		0		0	0
6 x 8	Titan	2569	1954	3228							•	1	1		0		0	0
8 x 8	Titan	2569	2572	3635							•	1	1		0		0	0
10 x 8	Titan	2569	3190	4096						No Base	•	1	1		0		0	0
12 x 8	Titan	2569	3808	4594	2743 Ex	1950	Double 1910 x 1150	Double	Front Double	required	•	1	1	8'	0		0	0
14 x 8	Titan	2569	4426	5118	Base	Ex Base	X 1150 Ex Base	Door	Double		•	2	1	Diamond Shelf	0		0	0
16 x 8	Titan	2569	5044	5661	Dase		LA Dase		Doors	O - BIB	•	2	1		0		0	0
18 x 8	Titan	2569	5662	6218							•	3	1		0		0	0
20 x 8	Titan	2569	6280	6758							•	3	1		0		0	0

COLD FRAME




- A 1'6" (460mm)
- B 4'4³/₄" (1340mm) or 6'7" (2000mm)
- C 2'1 1/4" (640mm)
- D 1'8 ½" (520)

WINDOW GARDEN



- A 5′1 ½″ (1560mm)
- B 1'5 1/2" (440mm)
- C 4'(1210mm)
- D 1'7" (480mm)

Door Height x Width 3'8 ½" x 11" (1130 x 280mm) length 3'10" (1170mm)







MOSCOW OFFICE +7985 13 44444, +79 777 444444 info@britton.ru